




OPEN ACCESS



HEALTHY DRY CITIES

Protecting health in dry cities: considerations for policy makers

Increasing health and wellbeing in cities that experience water scarcity presents challenges, but can be done, say **Howard Frumkin and colleagues**

Howard Frumkin,¹ Maitreyi Bordia Das,² Maya Negev,³ Briony C Rogers, Roberto Bertollini,⁵ Carlos Dora,⁶ Sonalde Desai⁷

Water has always been essential for cities to survive and thrive. The earliest cities, from 4000 BC, were founded near water sources. Conversely, water scarcity might have contributed to the demise of ancient cities such as Tikal in present day Guatemala and Angkor in present day Cambodia.^{1,2} Water deprivation was also used as a weapon in ancient times; when Sennacherib of Assyria ransacked Babylon in 689 BC, he destroyed the city's water supply.³

Dry cities present complex challenges in a dynamic world. The supply of water in many cities will increasingly fall short of demand, with diverse and potentially severe effects on health. In a world of pervasive inequalities, water scarcity is likely to hit the most vulnerable hardest. The challenge of achieving health in dry cities is intensified in the setting of resource scarcity, state and societal fragility, and weak institutions.

The inter-relation between human health and the environment needs to be central to planning and management of both water and health systems. Promoting health and wellbeing in dry cities is essential to achieving the sustainable development goals. Innovation will be key to progress; it requires foresight, strong institutions, and action from many people.

Today's global population is increasingly urban, and the world is increasingly hot, with dry regions becoming drier. Dry cities have scarce water relative to demand. An estimated 150 million people live in cities that have perennial water shortage.⁴

Some cities are dry because of their location in arid environments, with low levels of fresh water, precipitation, or both. In the year 2000 about 27% of the world's urban area was in drylands.⁴ Many of the world's most water stressed countries are in the Middle East and North Africa (box 1). Doha, Abu Dhabi, and Dubai in the Gulf region, and desert cities, including Cairo (Egypt) and Windhoek (Namibia), Antofagasta (Chile), Trujillo (Peru), Phoenix, and Las Vegas (United States) are widely recognized as "dry cities."

Box 1: The world's most water stressed nations⁵**Extremely high baseline water stress**

Qatar, Israel, Lebanon, Palestine, Iran, Jordan, Libya, Kuwait, Saudi Arabia, Eritrea, United Arab Emirates, San Marino, Bahrain, India, Pakistan, Turkmenistan, Oman, Botswana

High baseline water stress

Chile, Cyprus, Yemen, Andorra, Morocco, Belgium, Mexico, Uzbekistan, Greece, Afghanistan, Spain, Algeria, Tunisia, Syria, Turkey, Albania, Armenia, Burkina Faso, Djibouti, Namibia, Kyrgyzstan, Niger, Nepal, Portugal, Iraq, Egypt, Italy

Other cities are dry because of a temporary scarcity of water, or drought, influenced by factors including local hydrology, climate, and human activities.^{6,7} Semi-arid regions may have dry cities if drought strikes, if demand grows much faster than supply and/or if the city cannot keep pace owing to poor governance or inadequate infrastructure. Such cities include Cape Town (South Africa) and Gaborone (Botswana). Other cities, such as São Paulo (Brazil) and Chennai (India), historically have had ample water supply, but have recently confronted scarcity. Still others, such as Los Angeles (US) and Bangalore (India), are forecast to become short of water in coming years.

How to define a healthy dry city

The covid-19 pandemic shows how health crises can emerge in urban areas and how water availability is crucial for good hygiene and containment of disease through handwashing and proper sanitation. A healthy city is "continually creating and improving those physical and social environments and expanding those community resources which enable people to mutually support each other in performing all the functions of life and developing to their maximum potential."⁸ This definition emphasizes that health, at the urban scale, has both physical and social dimensions.

The physical dimensions include elements of the natural environment—ecosystems both within cities and in their surrounding regions⁹—and aspects of the built environment. These include traditional characteristics of urban health, such as water, sewage and waste infrastructure, air quality, and housing, as well as urban design, transportation systems, food systems, and parks and greenspace, which have only recently resurfaced as public health concerns after decades of neglect.^{10,11}

The social dimensions of healthy cities include not just the extent of poverty and inequality or access to health and social services and to employment, but also the sense of community and social cohesion, as well as the opportunity for all inhabitants to assert

¹ School of Public Health, University of Washington, Seattle, WA, USA

² Global Programs (Urban, Resilience, Land), The World Bank, Washington DC, USA

³ School of Public Health, University of Haifa, Haifa, Israel

⁴ Monash Sustainable Development Institute and School of Social Sciences, Monash University, Melbourne, Australia

⁵ Ministry of Public Health, Doha, Qatar

⁶ Environmental Health Governance, Geneva, Switzerland

⁷ Department of Sociology, University of Maryland, College Park, MD, USA

Correspondence to: MB Das
mdas@worldbank.org

Cite this as: *BMJ* 2020;371:m2936

<http://dx.doi.org/10.1136/bmj.m2936>

Published: 30 October 2020

their social identity, freedom, and autonomy, and to have voice in urban governance.¹²

All cities share health challenges, but dry cities have some unique challenges, as climate change and scarcity of water intensify rising heat and propel diseases of hot climates. A healthy dry city manages its physical and social environments when water is scarce to optimize the health and wellbeing of all its inhabitants. Healthy dry cities are achievable with the right policies and institutions, and with the space for innovation.

Broader context matters

Dry cities, and their quest for health, exist in the setting of increasing urbanization, inequality, environmental hazards, and climate change, and the coexistence of different health risks.

Urbanization

More than half (>55%) of the world's population live in urban areas, and this level is projected to rise to two thirds by 2050. This led the United Nations in 2018 to identify urbanization as one of four "demographic mega-trends," the others being population growth, aging, and international migration. Yet patterns of urbanization vary among and within countries. Asia and Africa are expected to see the fastest growth in urbanization (fig 1). A rise in absolute numbers of urban dwellers will also be concentrated in these continents.




Fig 1 | Growth of urbanization by world region 1950-2050^{13 14}

Much urban growth will be in arid regions. According to one estimate, urban areas in arid regions globally will nearly double in size by 2030, from just below 300 000 km² to almost 500 000 km².¹⁵ With growth in demand for water exceeding growth in supply, the number of people living in cities with perennial water shortage is projected to reach almost one billion by 2050.⁴ Migration is a key driver of urbanization and is driven in part by factors such as

droughts and natural disasters. Migration can place pressure on cities that may already be water scarce.

Inequality

Although cities and towns often offer opportunities for people, and have better infrastructure than rural areas, they are beset by high levels of inequality. Almost one fourth of the world's urban

population, over a billion people, lived in informal settlements (“slums”) in 2018, most in Asia and Africa.¹⁶

Slums are associated with poor quality housing, water, sanitation, and other services, leading to, among other outcomes, higher rates of disease and death.^{17 18} Rich households, on the other hand, are often located in areas with piped water and during water shortages can build storage facilities, tap into underground wells, and pay for delivered water. Only 38% of households among the poorest fifth of India’s urban population have access to indoor piped water compared with 62% of the richest fifth.¹⁹

Environmental hazards

Urban residents are subject to diverse environmental hazards, including air and noise pollution, high levels of waste generation, and deprivation of green space and blue space (natural streamfronts, riverfronts, and coastlines). For instance, 97% of cities with over 100 000 inhabitants did not meet air quality guidelines in 2016.¹⁶ Increasing pollution, especially in countries that are rapidly industrializing and have lax environmental controls, also threatens water quality.^{20 21}

Waste generation is correlated with economic development and urbanization, and thus low and middle income countries, with the least capacity for sustainable waste management,²² are likely to see the largest increase in waste production. Water scarcity can amplify the effects of urban environmental hazards—for example, by concentrating water pollutants and limiting provision of green space.

Covid-19 has highlighted particular health challenges of water scarcity and heat. Examples include the difficulty of handwashing when water access is limited^{23 24}; the difficulty of socially isolating indoors when the temperature is extremely hot; and the paucity of green space and parks—important assets for restoration during the pandemic^{25 26}—in hot, dry places.

Climate change

Climate change amplifies the challenges of dry cities in at least two ways—namely, by reducing water availability and by increasing heat. Reduced water availability results from reduced rainfall in regions that are already dry. Rising temperatures increase evaporative loss of surface water and reduce summertime flow in snowmelt fed rivers.^{15 27–31} Additionally, dry weather can be punctuated by sudden heavy rainfall, a well recognized phenomenon in arid regions.^{32 33}

An estimated 1.8 billion people are affected by abnormal rainfall (both high and low) every year.³⁴ This disproportionately occurs in developing countries, and particularly cities. In addition, many coastal cities, including some in arid regions, are experiencing saline intrusion of their water tables, due to a combination of sea level rise, withdrawal of groundwater, and settling of the city.^{35–38}

Dry cities are often also hot cities. Global projections of heating trends³⁹ and studies in dry cities such as Mashhad (Iran),⁴⁰ Delhi (India),⁴¹ and in major Chinese cities⁴² indicate that water scarcity and heat will intensify in tandem in many cities.

Double burden of health risks

Cities and towns, especially in low and middle income countries, are characterized by the coexistence of infectious diseases such as HIV/AIDS, tuberculosis, pneumonia, dengue, diarrhea, and covid-19, and non-communicable diseases such as heart disease, cancer, and strokes—the so called double burden.^{43 44} Additional

health burdens such as violence and injuries, including road traffic injuries, and mental health problems, also exist.

Such coexistence is seen across the world in settings as diverse as Accra, Ghana,⁴⁵ Pune and Maharashtra, India,^{46 47} and in many Chinese cities.⁴⁸ Some infectious diseases thrive in hot cities where water is scarce. Therefore, health systems, especially in low and middle income countries, have to be simultaneously prepared for diseases of both richer and poorer contexts. Dry cities, in addition, confront unique health hazards, some of which relate directly to water scarcity, whereas others are caused indirectly.

Specific health considerations

Infectious disease

Waterborne and water related infections, caused by bacteria such as *Escherichia coli*, *Vibrio cholera*, and *Salmonella typhi*, and viruses such as rotavirus, hepatitis A virus, and poliovirus, are major causes of childhood deaths and malnutrition across the lifespan. Clean water, free of microbiological contaminants, is essential for infectious disease control.

When the water supply is unreliable, people resort to informal sources of water such as street vendors and to home water storage, both of which are associated with water contamination. Household drinking water containers can be breeding grounds for mosquitoes such as *Aedes aegypti*, the vector of dengue fever,⁴⁹ which threatens 2.5 billion people worldwide and is on the rise.^{50 51} Similarly, re-wetting after drought can alter water table levels, vegetation, and aquatic predators, all of which affect mosquito populations.⁵² Access to water in healthcare facilities is essential, because shortages undermine safe childbirth⁵³ and hinder control of hospital infections.⁵⁴

An additional link between water scarcity and infectious disease is the use of wastewater in agriculture. In arid countries in the Middle East and North Africa, water scarcity increases the use of black and gray water for crop irrigation—a useful adaptive measure but a hazard if the water is inadequately treated.⁵⁵ Contaminated food may then enter the urban supply.

Non-communicable disease

Water scarcity and heat also affect the risk of non-communicable diseases. Severe heat exposure, especially without readily available water for hydration, has health effects ranging from mild symptoms to more severe respiratory and neurologic difficulties, heat stroke, and mortality.⁵⁶

The scarcity of water, especially when linked to high temperatures, may aggravate the risk of non-communicable diseases in other ways: stress (cardiovascular risk), reduced availability of fresh foods (metabolic syndrome), kidney damage, reduced sleep quality (cardiovascular risk), and reduced physical activity. Older people and those with pre-existing health conditions are especially vulnerable, as are those who are poor, socially isolated, and who lack access to facilities such as cooling centers.^{57 58} Other groups at considerable risk are outdoor workers such as construction workers, police officers, and street vendors, and industrial workers in non-air conditioned facilities.^{59 60}

Heat can also lead to increased ground level ozone and air pollution from fine particulate matter. These exposures increase the risk of cardiopulmonary disease, including risks of symptom aggravation, hospital admission, and death.⁶¹

Mental health

Water scarcity threatens mental health in rural populations, related to economic losses from crop failures, humiliation and shame over financial struggles, and social isolation in times of drought.⁶² Displaced rural populations may bring these problems when they migrate to cities—compounding the mental health impacts of migration itself.⁶³ In addition, the constant stress of lack of clean water for domestic use, the burden of having to fetch water from public water points, and the threat of flooding, contribute substantially to anxiety and depression. Often, this burden falls mainly on women, who are responsible for managing water for domestic use. Furthermore, lack of sanitation and water affects women when they are menstruating, after childbirth, and during the menopause, often with deleterious consequences for their health and dignity.⁶⁴

Violence and conflict

Some evidence links high temperatures with aggressive behavior, violent crime, and possibly suicide.^{65–68} Such societal tension can escalate into armed conflict. In addition, several dry cities are in areas with already fragile states. The links between the scarcity of natural resources and armed conflict are controversial,⁶⁹ but some studies suggest that intrastate or interstate competition for resources such as water may be increasingly associated with armed conflict.⁷⁰ Armed conflict, in turn, undermines the health of both combatants and civilians in many ways.^{71 72}

Child development

Evidence links childhood exposure to drought with poor growth throughout childhood⁷³ and with long term effects on health, including disability, in adult life.⁷⁴ Several mechanisms may operate, including poorer nutrition due to reduced agricultural output, increased gastrointestinal and respiratory infections due to scarcity of clean water, and reduced resources for childcare and education due to poverty.⁷³

Sweetened beverages are an additional pathway from water scarcity to child development. When water is unavailable or expensive, parents may provide their children with sweetened drinks instead, increasing the risk of obesity, diabetes, and heart disease. Popkin et al⁷⁵ found that providing filtered drinking fountains, water bottles, and advice to children at school led to increased water ingestion by 1.1 glasses a day and to a 31% reduction in their risk of being overweight.

Promoting health in dry cities

Policy has a critical role in ensuring that cities do not suffer from being dry and that the health of their residents is promoted. Although the health sector is central, many solutions are multisectoral.

Health systems

Health systems in dry cities, especially in low and middle income countries, can be strengthened by investing in leadership, governance, health workforce, information systems, essential medical products and technologies, service delivery, and financing.⁷⁶

For example, health infrastructure and equipment should be adapted to drier and hotter conditions, the health workforce should be trained for morbidity exacerbated by drought, health information systems should be timely and include drought related health indicators, and accessible healthcare should be provided.⁷⁷ A study that examined adaptation of the health system to heat and water

scarcity in 13 low and middle income countries identified further examples of resilience, including a malaria early warning system in Kenya and safe reuse of wastewater in Jordan.⁷⁸

Urban governance

With respect to urban governance, systems approaches based on collaborative, cross-sectoral planning and implementation are most successful.⁷⁹ Decentralization permits cities to raise their own resources and plan and implement policies.⁸⁰ Municipal policy makers need to invest in institutions that will facilitate better management of water demand and supply. These include water utilities, health infrastructure, and regulatory and enforcement agencies.

Another characteristic of good urban governance is accountability to residents, with city governments making information publicly available, investing in public education, and strengthening citizens' voices. Civil society has a critical role in urban governance, facilitating the government-citizen collaboration. Non-government organizations are often also service providers and policy analysts and advocates. Cape Town's recent water crisis shows the importance of integrating equity and justice issues as part of water and health governance.⁸¹

In India, non-governmental organizations successfully promoted large scale toilet blocks in informal urban areas, including community based schemes in which users maintain the facilities based on sense of ownership. Intersectoral partnerships and stakeholder engagement, including local communities, are fundamental in the healthy cities movement and promote community empowerment and urban health.⁸² Finally, cities can provide help and incentives for innovations led by non-state personnel such as citizens' groups and the private sector. There are good models for urban water and health governance, but few examples in the context of dry urban environments.⁸³

Improve supply and manage demand

Water resource management includes both technical and administrative solutions. Strengthening the resilience of a city's water supply requires reducing water demand, diversifying available water sources, and incorporating technologies that allow the whole water cycle to be managed as an integrated, flexible, and adaptive system.^{84 85}

For example, recycling of wastewater and harvesting of stormwater provide alternative sources to substitute or supplement scarce drinking water supplies, while also creating a range of additional environmental benefits.⁸⁶ For example, by 2010 Melbourne recycled more than 20% of its wastewater, providing 3% of its annual municipal demand through recycled wastewater and captured stormwater. These developments were driven by government targets set both to reduce pollution discharges to waterways and to provide alternative water supplies during Australia's millennium drought, and tight regulation ensured water quality that protects public health.^{87 88}

Storage options such as aquifer recharge and rainwater tanks retain water for later use during dry periods. Desalination has been an important tool for many cities,⁸⁹ but has some disadvantages. It requires large amounts of energy, which often comes from fossil fuels; it produces large quantities of brine^{89 90}; and it removes iodine from seawater, which may contribute to iodine deficiency disorders.⁹¹

Regional approaches

Even as cities take initiatives in managing water scarcity, regional approaches are needed because watersheds do not respect political boundaries. Competition between urban and rural areas for water is common and is often politically charged.⁹² Yet, there are also examples of equitable distribution of water resources and of water sharing between geographical areas.^{80 93 94}

For example, a complex legal and administrative structure in the US state of Arizona governs the allocation of water between agricultural irrigation and domestic use in cities.⁹⁵ Finally, policy on water tariffs and pricing is highly contested and political. Some argue that it brings market discipline to a typically underpriced commodity, whereas others maintain that it disadvantages poorer people and makes a commodity of something better viewed as a human right.^{96 97}

Assess risk

Assessments that identify hotspots of high vulnerability to water shortage and disease can be an important tool for decision makers in prioritizing measures towards better management of healthy dry cities. For example, an assessment in Brazil calculated vulnerability based on poverty, education, and access to piped water.⁹⁸ Another assessment in China included additional indicators such as the length of water supply pipelines, number of beds in healthcare institutions, built-up area, and population density.⁹⁹ The covid-19 pandemic presents an opportunity to develop new tools and methods for better assessments.

Behavior change

Water scarcity and the extreme heat that often accompanies it require city dwellers to adapt. Some of this change can directly protect health, such as avoiding outdoor exertion during hot times of the day, carrying water and keeping hydrated, and being alert to signs of dehydration and hyperthermia. Other behavioral changes benefit health indirectly by conserving water.

The general principles of social marketing—simple, clear messages, repeated often, from a variety of trusted sources—are highly

applicable.¹⁰⁰ Messaging should be evidence based,²³ involving target communities and offering practical advice that increases self-help.¹⁰¹ Messages are most successful when there are high levels of social cohesion and trust¹⁰²—a basic requirement for community health resilience. The most effective media to use—newspapers, radio, television, social media, or trusted voices such as members of the clergy—will vary across and within cities and subpopulations.¹⁰³

Nature based solutions

Solutions based on natural or modified ecosystems provide benefits for both biodiversity and human wellbeing.¹⁰⁴ For example, street trees, vegetation, irrigated green space, and green technologies (such as biofilters, constructed wetlands) can cool urban microclimates through shading and evapotranspiration,^{105 -107} as well as control stormwater pollution and flows. Trade-offs need to be made explicit and addressed; for example, trees may provide shade that reduces the need to air condition buildings, but at the cost of increased water demand.¹⁰⁸ Nature based solutions also provide opportunities for physical activity, passive recreation, and social connection which may contribute to the prevention of non-communicable diseases and improve mental health.¹⁰⁹

Key recommendations

- Strengthen health systems in dry, hot areas, including their ability to engage in multisectoral adaptation planning
- Develop national policies that give greater autonomy to cities, and policies in dry cities that build systems that are inclusive, transparent, and accountable to residents
- Invest in better management of water resources, including better technology and management of demand and supply
- Invest in better tools and diagnostics to guide water system management
- Develop effective social marketing, which can drive change in public behavior, protecting health and conserving water
- Invest in nature based solutions, which provide foundations for sustainability and wellbeing

thebmj Visual summary

Towards healthy dry cities

Particular challenges require innovative thinking

Today's global population is increasingly urban, and more and more of the planet is dry, creating a growing challenge of dry cities. Some health challenges are common to all cities, but others are unique to dry ones, as climate change and water scarcity intensify rising heat and propel diseases of hot climates. This graphic shows some characteristics of healthy cities, and highlights which of these are particular challenges for dry cities. The policies summarized at the bottom are described in more detail in the full paper that this graphic accompanies.



Promoting health in dry cities		Assessments		Behaviour		Nature based	
Health sector	Governance	Water	Assessments	Behaviour	Nature based		
Health infrastructure, equipment, indicators, and training should be adapted to drier and hotter conditions	Decentralization is often a key driver of success, as it gives autonomy to cities, permitting them to raise their own resources and plan and implement policies	Improving water supply involves reducing demand, diversifying available water sources, and managing the water cycle using integrated, flexible and adaptive systems	Assessments and diagnostics that identify hotspots of high vulnerability to water shortage and disease can be an important tool for decision makers in prioritizing measures towards better management of healthy dry cities	Water scarcity and extreme heat both require adaptive behavior change by urban publics, including avoiding exertion, keeping hydrated, and conserving water. Effective social marketing is needed to drive behavior change	Solutions based on natural or modified ecosystems provide benefits for both biodiversity and human wellbeing. For example, urban vegetation can cool urban micro-climates through shading and evapotranspiration		
Characteristics targeted							
1 2 4	All	2	2 6 9 10	2 4	1 2 4 5 7		

thebmj Read the full article online <http://bit.ly/BMJdry>

See more visual summaries <http://www.bmj.com/infographics>

© 2020 BMJ Publishing Group Ltd. Disclaimer: This infographic is not a validated clinical decision aid. This information is provided without any representations, conditions, or warranties that it is accurate or up to date. BMJ and its licensors assume no responsibility for any aspect of treatment administered with the aid of this information. Any reliance placed on this information is strictly at the user's own risk. For the full disclaimer wording see BMJ's terms and conditions: <http://www.bmj.com/company/legal-information/>

Competing interests: We have read and understood BMJ policy on declaration of interests and have no relevant interests to declare.

Provenance and peer review: Commissioned; externally peer reviewed.

This article is part of a series commissioned by *The BMJ* for the World Innovation Summit for Health (WISH) 2020. *The BMJ* peer reviewed, edited, and made the decision to publish. The authors received

no payment. The series, including open access fees, is funded by WISH, which is an initiative of the Qatar Foundation.

1 Evans NP, Bauska TK, Gázquez-Sánchez F, Brenner M, Curtis JH, Hodell DA. Quantification of drought during the collapse of the classic Maya civilization. *Science* 2018;361:498-501. doi: 10.1126/science.aas9871 pmid: 30072537

BMJ: first published as 10.1136/bmj.m2936 on 30 October 2020. Downloaded from <http://www.bmj.com/> on 21 April 2022 by guest. Protected by copyright.

- 2 Buckley BM, Anchukaitis KJ, Penny D, et al. Climate as a contributing factor in the demise of Angkor, Cambodia. *Proc Natl Acad Sci U S A* 2010;107:6748-52. doi: 10.1073/pnas.0910827107 pmid: 20351244
- 3 Hatami H, Gleick PH. Conflicts over water in the myths, legends, and ancient history of the Middle East. *Environment* 1994;36:10-1. doi: 10.1080/00139157.1994.9929156
- 4 McDonald RI, Green P, Balk D, et al. Urban growth, climate change, and freshwater availability. *Proc Natl Acad Sci U S A* 2011;108:6312-7. doi: 10.1073/pnas.1011615108 pmid: 21444797
- 5 World Resources Institute. National water stress rankings. 2019. <https://www.wri.org/blog/2019/08/17-countries-home-one-quarter-world-population-face-extremely-high-water-stress>
- 6 Zhang X, Chen N, Sheng H, et al. Urban drought challenge to 2030 sustainable development goals. *Sci Total Environ* 2019;693:133536. doi: 10.1016/j.scitotenv.2019.07.342 pmid: 31374498
- 7 Ray B, Shaw R. Defining urban water insecurity: concepts and relevance. In: Ray B, Shaw R, eds. *Urban drought: emerging water challenges in Asia*. Springer Singapore, 2019: 1-15. doi: 10.1007/978-981-10-8947-3_1.
- 8 WHO. *Health promotion glossary*. World Health Organization, 1998. <https://www.who.int/healthpromotion/about/HPR%20Glossary%201998.pdf>
- 9 Alberti M, Marzluff JM. Ecological resilience in urban ecosystems: linking urban patterns to human and ecological functions. *Urban Ecosyst* 2004;7:241-65. doi: 10.1023/B:UECO.0000044038.90173.c6
- 10 Corburn J. Reconnecting with our roots: American urban planning and public health in the twenty-first century. *Urban Aff Rev* 2007;42:688-713. doi: 10.1177/1078087406296390.
- 11 Jackson RJ, Dannenberg AL, Frumkin H. Health and the built environment: 10 years after. *Am J Public Health* 2013;103:1542-4. doi: 10.2105/AJPH.2013.301482 pmid: 23865699
- 12 Freudenberg N, Galea S, Vlahov D. *Cities and the health of the public*. Vanderbilt University Press, 2006. <https://muse.jhu.edu/book/2857>
- 13 Das MB, Espinoza SA. *Inclusion matters in Africa*. World Bank, 2019. <https://openknowledge.worldbank.org/bitstream/handle/10986/32528/IM-Africa.pdf> doi: 10.1596/32528
- 14 UN DESA. World urbanization prospects: the 2018 revision. New York: United Nations Department of Economic and Social Affairs, Population Division, 2018. <https://population.un.org/wup/Publications/Files/WJP2018-Report.pdf>
- 15 Güneralp B, Güneralp İ, Liu Y. Changing global patterns of urban exposure to flood and drought hazards. *Glob Environ Change* 2015;31:217-25. doi: 10.1016/j.gloenvcha.2015.01.002.
- 16 UN DESA. *The sustainable development goals report 2019*. United Nations, 2019. <https://unstats.un.org/sdgs/report/2019/The-Sustainable-Development-Goals-Report-2019.pdf>
- 17 Ezeh A, Oyebode O, Satterthwaite D, et al. The history, geography, and sociology of slums and the health problems of people who live in slums. *Lancet* 2017;389:547-58. doi: 10.1016/S0140-6736(16)31650-6 pmid: 27760703
- 18 Lilford RJ, Oyebode O, Satterthwaite D, et al. Improving the health and welfare of people who live in slums. *Lancet* 2017;389:559-70. doi: 10.1016/S0140-6736(16)31848-7 pmid: 27760702
- 19 Desai S, Vanneman R. National Council of Applied Economic Research. *India Human Development Survey-II (IHDS-II)*. Inter-university Consortium for Political and Social Research, 2015, doi: 10.3886/ICPSR37382.v1.
- 20 Damanian R, Desbureaux S, Rodella A-S, et al. *Quality unknown: the invisible water crisis*. World Bank, 2019. <https://documents.worldbank.org/curated/en/697271544470229584/What-a-Waste-2-0-A-Global-Snapshot-of-Solid-Waste-Management-to-2050>
- 21 Landrigan PJ, Fuller R, Acosta NJR, et al. The Lancet Commission on pollution and health. *Lancet* 2018;391:462-512. doi: 10.1016/S0140-6736(17)32345-0 pmid: 29056410
- 22 Kaza S, Yao LC, Bhada-Tata P, et al. *What a waste 2.0: a global snapshot of solid waste management to 2050*. World Bank, 2018. <https://openknowledge.worldbank.org/handle/10986/30317> doi: 10.1596/978-1-4648-1329-0.
- 23 Koop SHA, Van Dorssen AJ, Brouwer S. Enhancing domestic water conservation behaviour: a review of empirical studies on influencing tactics. *J Environ Manage* 2019;247:867-76. doi: 10.1016/j.jenvman.2019.06.126 pmid: 31376785
- 24 Brauer M, Zhao JT, Bennitt FB, Stanaway JD. Global access to handwashing: implications for covid-19 control in low-income countries. *Environ Health Perspect* 2020;128:57005. doi: 10.1289/EHP7200. pmid: 32438824
- 25 Slater SJ, Christiana RW, Gustat J. Recommendations for keeping parks and green space accessible for mental and physical health during COVID-19 and other pandemics. *Prev Chronic Dis* 2020;17:E59. doi: 10.5888/pcd17.200204. pmid: 32644919
- 26 Hanzl M. Urban forms and green infrastructure – the implications for public health during the COVID-19 pandemic. *Cities & Health* 2020;1-5. doi: 10.1080/23748834.2020.1791441.
- 27 Carrão H, Naumann G, Barbosa P. Global projections of drought hazard in a warming climate: a prime for disaster risk management. *Clim Dyn* 2018;50:2137-55. doi: 10.1007/s00382-017-3740-8
- 28 Cook BI, Mankin JS, Anchukaitis KJ. Climate change and drought: from past to future. *Curr Clim Change Rep* 2018;4:164-70. doi: 10.1007/s40641-018-0093-2.
- 29 Liu W, Sun F, Lim WH, et al. Global drought and severe drought-affected populations in 1.5 and 2°C warmer worlds. *Earth Syst Dynam* 2018;9:267-83. doi: 10.5194/esd-9-267-2018
- 30 Liang C, Li D, Yuan Z, et al. Assessing urban flood and drought risks under climate change, China. *Hydrological Processes* 2019;33:1349-61. doi: 10.1002/hyp.13405
- 31 Howard G, Calow R, Macdonald A, et al. Climate change and water and sanitation: likely impacts and emerging trends for action. *Annu Rev Environ Resour* 2016;41:253-76. doi: 10.1146/annurev-environ-110615-085856
- 32 Prama M, Omran A, Schröder D, et al. Vulnerability assessment of flash floods in Wadi Dahab Basin, Egypt. *Environ Earth Sci* 2020;79:114. doi: 10.1007/s12665-020-8860-5
- 33 Wheeling K. What causes flash floods in the Middle East? *Eos (Wash DC)* 2018;99. doi: 10.1029/2018EO095115.
- 34 Damanian R, Desbureaux S, Hyland M, et al. *Uncharted waters: the new economics of water scarcity and variability*. World Bank, 2017. <https://openknowledge.worldbank.org/bitstream/handle/10986/28096/9781464811791.pdf?sequence=21&isAllowed=y> doi: 10.1596/978-1-4648-1179-1
- 35 Werner AD, Bakker M, Post VEA, et al. Seawater intrusion processes, investigation and management: recent advances and future challenges. *Adv Water Resour* 2013;51:3-26. doi: 10.1016/j.advwatres.2012.03.004.
- 36 Herbert ER, Boon P, Burgin AJ, et al. A global perspective on wetland salinization: ecological consequences of a growing threat to freshwater wetlands. *Ecosphere* 2015;6:art206. doi: 10.1890/ES14-00534.1.
- 37 Shammi M, Rahman MM, Bondad SE, Bodrud-Doza M. Impacts of salinity intrusion in community health: a review of experiences on drinking water sodium from coastal areas of Bangladesh. *Healthcare (Basel)* 2019;7:E50. doi: 10.3390/healthcare71010050 pmid: 30909429
- 38 Rakib MA, Sasaki J, Matsuda H, et al. Groundwater salinization and associated co-contamination risk increase severe drinking water vulnerabilities in the southwestern coast of Bangladesh. *Chemosphere* 2020;246:125646. doi: 10.1016/j.chemosphere.2019.125646 pmid: 31884226
- 39 Pal JS, Eltahir EAB. Future temperature in southwest Asia projected to exceed a threshold for human adaptability. *Nat Clim Chang* 2015;6:197-200. doi: 10.1038/nclimate2833.
- 40 Naserikia M, Asadi Shamsabadi E, Rafeiee N, Leal Filho W. The urban heat island in an urban context: a case study of Mashhad, Iran. *Int J Environ Res Public Health* 2019;16:E313. doi: 10.3390/ijerph16030313 pmid: 30678340
- 41 Sharma R, Hooyberghs H, Lauwaet D, De Ridder K. Urban heat island and future climate change-implications for Delhi's heat. *J Urban Health* 2019;96:235-51. doi: 10.1007/s11524-018-0322-y pmid: 30353483
- 42 Li Y, Ren T, Kinney PL, Joyner A, Zhang W. Projecting future climate change impacts on heat-related mortality in large urban areas in China. *Environ Res* 2018;163:171-85. doi: 10.1016/j.envres.2018.01.047 pmid: 29448153
- 43 Bygbjerg IC. Double burden of noncommunicable and infectious diseases in developing countries. *Science* 2012;337:1499-501. doi: 10.1126/science.1223466 pmid: 22997329
- 44 Boutayeb A. The double burden of communicable and non-communicable diseases in developing countries. *Trans R Soc Trop Med Hyg* 2006;100:191-9. doi: 10.1016/j.trstmh.2005.07.021 pmid: 16274715
- 45 Agyei-Mensah S, de-Graft Aikins A. Epidemiological transition and the double burden of disease in Accra, Ghana. *J Urban Health* 2010;87:879-97. doi: 10.1007/s11524-010-9492-y pmid: 20803094
- 46 Kroll M, Bharucha E, Kraas F. Does rapid urbanization aggravate health disparities? Reflections on the epidemiological transition in Pune, India. *Glob Health Action* 2014;7:23447. doi: 10.3402/gha.v7.23447 pmid: 25215907
- 47 Koli R, Goli S, Doshi R. Epidemiological transition in urban population of Maharashtra. *Adv Epidemiol* 2014;2014:32810. doi: 10.1155/2014/328102
- 48 Liu M, Liu X, Huang Y, et al. Epidemic transition of environmental health risk during China's urbanization. *Sci Bull (Beijing)* 2017;62:92-8. doi: 10.1016/j.scib.2016.12.004
- 49 Guzman MG, Gubler DJ, Izkierdo A, Martinez E, Halstead SB. Dengue infection. *Nat Rev Dis Primers* 2016;2:16055. doi: 10.1038/nrdp.2016.55 pmid: 27534439
- 50 WHO. *Global strategy for dengue prevention and control 2012–2020*. World Health Organization, 2012. <https://www.who.int/denguecontrol/9789241504034/en/>
- 51 Getachew D, Tekie H, Gebre-Michael T, Balkew M, Mesfin A. Breeding sites of *Aedes aegypti*: potential dengue vectors in Dire Dawa, East Ethiopia. *Interdiscip Perspect Infect Dis* 2015;2015:706276. doi: 10.1155/2015/706276 pmid: 26435712
- 52 Brown L, Medlock J, Murray V. Impact of drought on vector-borne diseases—how does one manage the risk? *Public Health* 2014;128:29-37. doi: 10.1016/j.puhe.2013.09.006 pmid: 24342133
- 53 Velleman Y, Mason E, Graham W, et al. From joint thinking to joint action: a call to action on improving water, sanitation, and hygiene for maternal and newborn health. *PLoS Med* 2014;11:e1001771. doi: 10.1371/journal.pmed.1001771 pmid: 25502229
- 54 Allegranzi B, Bagheri Nejad S, Combescure C, et al. Burden of endemic health-care-associated infection in developing countries: systematic review and meta-analysis. *Lancet* 2011;377:228-41. doi: 10.1016/S0140-6736(10)61458-4 pmid: 21146207
- 55 Faour-Klingbeil D, Todd ECD. The impact of climate change on raw and untreated wastewater use for agriculture, especially in arid regions: a review. *Foodborne Pathog Dis* 2018;15:61-72. doi: 10.1089/fpd.2017.2389 pmid: 29446666
- 56 Gauer R, Meyers BK. Heat-related illnesses. *Am Fam Physician* 2019;99:482-9. pmid: 30990296
- 57 Bao J, Li X, Yu C. The construction and validation of the heat vulnerability index, a review. *Int J Environ Res Public Health* 2015;12:7220-34. doi: 10.3390/ijerph120707220 pmid: 26132476
- 58 Macintyre HL, Heavyside C, Taylor J, et al. Assessing urban population vulnerability and environmental risks across an urban area during heatwaves - implications for health protection. *Sci Total Environ* 2018;610-611:678-90. doi: 10.1016/j.scitotenv.2017.08.062 pmid: 28822935
- 59 Levi M, Kjellstrom T, Baldasseroni A. Impact of climate change on occupational health and productivity: a systematic literature review focusing on workplace heat. *Med Lav* 2018;109:163-79. doi: 10.23749/ml.v109i3.6851. pmid: 29943748

- 60 Flouris AD, Dinas PC, Ioannou LG, et al. Workers' health and productivity under occupational heat strain: a systematic review and meta-analysis. *Lancet Planet Health* 2018;2:e521-31. doi: 10.1016/S2542-5196(18)30237-7 pmid: 30526938
- 61 Orru H, Ebi KL, Forsberg B. The interplay of climate change and air pollution on health. *Curr Environ Health Rep* 2017;4:504-13. doi: 10.1007/s40572-017-0168-6 pmid: 29080073
- 62 Vins H, Bell J, Saha S, Hess JJ. The mental health outcomes of drought: a systematic review and causal process diagram. *Int J Environ Res Public Health* 2015;12:13251-75. doi: 10.3390/ijerph121013251 pmid: 26506367
- 63 Bustamante LHU, Cerqueira RO, Leclerc E, Brietzke E. Stress, trauma, and posttraumatic stress disorder in migrants: a comprehensive review. *Braz J Psychiatry* 2017;40:220-25. doi: 10.1590/1516-4446-2017-2290
- 64 Das MB. *The rising tide: a new look at water and gender*. The World Bank, 2017. doi: 10.1596/27949 <https://openknowledge.worldbank.org/handle/10986/27949>
- 65 Gamble JL, Hess JJ. Temperature and violent crime in Dallas, Texas: relationships and implications of climate change. *West J Emerg Med* 2012;13:239-46. doi: 10.5811/westjem.2012.3.11746 pmid: 22900121
- 66 Hsiang SM, Burke M, Miguel E. Quantifying the influence of climate on human conflict. *Science* 2013;341:1235367. doi: 10.1126/science.1235367 pmid: 24031020
- 67 Burke M, González F, Baylis P, et al. Higher temperatures increase suicide rates in the United States and Mexico. *Nat Clim Change* 2018;8:723-9. doi: 10.1038/s41558-018-0222-x
- 68 Gates A, Klein M, Acquattro F, Garland RM, Scovronick N. Short-term association between ambient temperature and homicide in South Africa: a case-crossover study. *Environ Health* 2019;18:109. doi: 10.1186/s12940-019-0549-4 pmid: 31842901
- 69 Mach KJ, Adger WN, Buhaug H, Burke M, Fearon JD, Field CB, et al. Directions for research on climate and conflict. *Earth's Future*. 2020;8(7):e2020EF001532. doi: 10.1029/2020EF001532
- 70 von Uexkull N, Croicu M, Fjelde H, Buhaug H. Civil conflict sensitivity to growing-season drought. *Proc Natl Acad Sci U S A* 2016;113:12391-6. doi: 10.1073/pnas.1607542113 pmid: 27791091
- 71 Klare MT, Levy BS, Sidel VW. The public health implications of resource wars. *Am J Public Health* 2011;101:1615-9. doi: 10.2105/AJPH.2011.300267 pmid: 21778501
- 72 Levy BS, Sidel VW. *War and public health*. 2nd ed. Oxford University Press, 2007.
- 73 Bahru BA, Bosch C, Birner R, Zeller M. Drought and child undernutrition in Ethiopia: a longitudinal path analysis. *PLoS One* 2019;14:e0217821. doi: 10.1371/journal.pone.0217821 pmid: 31206545
- 74 Dinkelman T. Long-run health repercussions of drought shocks: evidence from South African homelands. *Econ J (Lond)* 2017;127:1906-39. doi: 10.1111/ecco.12361
- 75 Popkin BM, D'Ani KE, Rosenberg IH. Water, hydration, and health. *Nutr Rev* 2010;68:439-58. doi: 10.1111/j.1753-4887.2010.00304.x pmid: 20646222
- 76 WHO. *Operational framework for building climate resilient health systems*. World Health Organization, 2015. <https://www.who.int/globalchange/publications/building-climate-resilient-health-systems/en/>
- 77 Negev M, Teschner N, Rosenthal A, Levine H, Lew-Levy C, Davidovitch N. Adaptation of health systems to climate-related migration in Sub-Saharan Africa: closing the gap. *Int J Hyg Environ Health* 2019;222:311-4. doi: 10.1016/j.ijheh.2018.10.004 pmid: 30503929
- 78 Ebi KL, Otmari Del Barrio M. Lessons learned on health adaptation to climate variability and change: experiences across low- and middle-income countries. *Environ Health Perspect* 2017;125:065001. doi: 10.1289/EHP405 pmid: 28632491
- 79 Mitra BK, Shaw R, Yan W, et al. Water-energy-food nexus: a provision to tackle urban drought. In: Ray B, Shaw R, eds. *Urban drought: emerging water challenges in Asia*. Springer Singapore, 2019: 69-86. doi: 10.1007/978-981-10-8947-3_5
- 80 Seto KC, Sánchez-Rodríguez R, Fragkias M. The new geography of contemporary urbanization and the environment. *Annu Rev Environ Resour* 2010;35:167-94. doi: 10.1146/annurev-environ-100809-125336
- 81 Enqvist J, Ziervogel G. Water governance and justice in Cape Town: An overview. *WIREs Water* 2019;6:e1354. doi: 10.1002/wat2.1354
- 82 Rydin Y, Bleahu A, Davies M, et al. Shaping cities for health: complexity and the planning of urban environments in the 21st century. *Lancet* 2012;379:2079-108. doi: 10.1016/S0140-6736(12)60435-8. pmid: 22651973
- 83 Romano O, Akhmouch A. Water governance in cities: current trends and future challenges. *Water* 2019;11:500. doi: 10.3390/w11030500
- 84 Dilling L, Daly ME, Kenney DA, et al. Drought in urban water systems: learning lessons for climate adaptive capacity. *Clim Risk Manage* 2019;23:32-42. doi: 10.1016/j.crm.2018.11.001
- 85 Wong TH, Brown RR. The water sensitive city: principles for practice. *Water Sci Technol* 2009;60:673-82. doi: 10.2166/wst.2009.436 <https://iwaponline.com/wst/article/60/3/673/15637/The-water-sensitive-city-principles-for-practice>
- 86 Grant SB, Saphores JD, Feldman DL, et al. Taking the "waste" out of "wastewater" for human water security and ecosystem sustainability. *Science* 2012;337:681-6. doi: 10.1126/science.1216852 pmid: 22879506
- 87 Grant SB, Fletcher TD, Feldman D, et al. Adapting urban water systems to a changing climate: lessons from the millennium drought in southeast Australia. *Environ Sci Technol* 2013;47:10727-34. doi: 10.1021/es400618z. pmid: 23641731
- 88 Ferguson BC, Brown RR, Frantzeskaki N, de Haan FJ, Deletic A. The enabling institutional context for integrated water management: lessons from Melbourne. *Water Res* 2013;47:7300-14. doi: 10.1016/j.watres.2013.09.045. pmid: 24148920
- 89 Jones E, Qadir M, van Vliet MTH, Smakhtin V, Kang SM. The state of desalination and brine production: a global outlook. *Sci Total Environ* 2019;657:1343-56. doi: 10.1016/j.scitotenv.2018.12.076 pmid: 30677901
- 90 Darre NC, Toor GS. Desalination of water: a review. *Current Pollution Reports* 2018;4:104-11. doi: 10.1007/s40726-018-0085-9
- 91 Ovadia YS, Gefel D, Aharoni D, Turkot S, Fytlovich S, Troen AM. Can desalinated seawater contribute to iodine-deficiency disorders? An observation and hypothesis. *Public Health Nutr* 2016;19:2808-17. doi: 10.1017/S1368980016000951 pmid: 27149907
- 92 Garrick D, De Stefano L, Yu W, et al. Rural water for thirsty cities: a systematic review of water reallocation from rural to urban regions. *Environ Res Lett* 2019;14:043003. doi: 10.1088/1748-9326/ab0db7
- 93 Civitelli F, Grùere G. Policy options for promoting urban-rural cooperation in water management: a review. *Int J Water Resour Dev* 2017;33:852-67. doi: 10.1080/07900627.2016.1230050
- 94 Zipper SC, Helm Smith K, Breyer B, et al. Socio-environmental drought response in a mixed urban-agricultural setting: synthesizing biophysical and governance responses in the Platte River Watershed, Nebraska, USA. *Ecol Soc* 2017;22. doi: 10.5751/ES-09549-220439
- 95 Eden S, Glennon R, Ker A, Libecap G, Megdal S, Shipman T. Agricultural water to municipal use: The legal and institutional context for voluntary transactions in Arizona. *Water Rep* 2008;(58):9-20. <https://wrrc.arizona.edu/publications/agricultural-water-municipal-use>.
- 96 Soto Rios PC, Deen TA, Nagabhatla N, et al. Explaining water pricing through a water security lens. *Water* 2018;10:1173. doi: 10.3390/w10091173
- 97 Grafton RQ, Chu L, Wyrwoll P. The paradox of water pricing: dichotomies, dilemmas, and decisions. *Oxf Rev Econ Policy* 2020;36:86-107. doi: 10.1093/oxrep/grz030
- 98 Sena A, Ebi KL, Freitas C, Corvalan C, Barcellos C. Indicators to measure risk of disaster associated with drought: implications for the health sector. *PLoS One* 2017;12:e0181394. doi: 10.1371/journal.pone.0181394 pmid: 28742848
- 99 Wang P, Qiao W, Wang Y, et al. Urban drought vulnerability assessment – A framework to integrate socio-economic, physical, and policy index in a vulnerability contribution analysis. *Sustainable Cities and Society* 2020;54:102004. doi: 10.1016/j.scs.2019.102004
- 100 Maibach E. Increasing public awareness and facilitating behavior change: two guiding heuristics. In: Hannah L, Lovejoy T, eds. *Climate change and biodiversity*. 2nd ed. Yale University Press, 2019: 336-46. doi: 10.2307/j.ctv8jnzv1.43
- 101 Addo IB, Thoms MC, Parsons M. The influence of water-conservation messages on reducing household water use. *Appl Water Sci* 2019;9:126. doi: 10.1007/s13201-019-1002-0
- 102 Miller E, Buys L. The impact of social capital on residential water-affecting behaviors in a drought-prone Australian community. *Soc Nat Resour* 2008;21:244-57. doi: 10.1080/08941920701818258
- 103 Das S. Television is more effective in bringing behavioral change: evidence from heat-wave awareness campaign in India. *World Dev* 2016;88:107-21. doi: 10.1016/j.worlddev.2016.07.009
- 104 Cohen-Shacham E, Janzen C, Maginnis S, et al. Nature-based solutions to address global societal challenges. Gland, Switzerland: International Union for Conservation of Nature and Natural Resources (IUCN), 2016.
- 105 Coutts AM, Tapper NJ, Beringer J, et al. Watering our cities: the capacity for water sensitive urban design to support urban cooling and improve human thermal comfort in the Australian context. *Progress in Physical Geography: Earth and Environment* 2012;37:2-28. doi: 10.1177/0309133312461032
- 106 Ma Xue X, González-Mejía A, et al. Sustainable water systems for the city of tomorrow—a conceptual framework. *Sustainability* 2015;7:12071-105. doi: 10.3390/su70912071
- 107 Livesley SJ, McPherson GM, Calfapietra C. The urban forest and ecosystem services: impacts on urban water, heat, and pollution cycles at the tree, street, and city scale. *J Environ Qual* 2016;45:119-24. doi: 10.2134/jeq2015.11.0567 pmid: 26828167
- 108 Wang Z-H, Zhao X, Yang J, Song J. Cooling and energy saving potentials of shade trees and urban lawns in a desert city. *Appl Energy* 2016;161:437-44. doi: 10.1016/j.apenergy.2015.10.047
- 109 Braubach M, Egorov A, Mudu P, et al. Effects of urban green space on environmental health, equity and resilience. In: Kabisch N, Korn H, Stadler J, et al, eds. *Nature-based solutions to climate change adaptation in urban areas: linkages between science, policy and practice*. Springer International Publishing, 2017: 187-205. doi: 10.1007/978-3-319-56091-5_11

This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.